



NOTE :

1. DIMENSIONS IN MILLIMETERS.
2. DIMENSION D DOES NOT INCLUDE MOLD FLASH, PROTRUSIONS OR GATE BURRS. MOLD FLASH, PROTRUSIONS OR GATE BURRS SHALL NOT EXCEED 0.15 mm PER END. DIMENSION E1 DOES NOT INCLUDE INTERLEAD FLASH OR PROTRUSION. INTERLEAD FLASH OR PROTRUSION SHALL NOT EXCEED 0.15 mm PER SIDE.
3. THE PACKAGE TOP MAY BE SMALLER THAN THE PACKAGE BOTTOM. DIMENSIONS D AND E1 ARE DETERMINED AT THE OUTERMOST EXTREMES OF THE PLASTIC BODY EXCLUSIVE OF MOLD FLASH, TIE BAR BURRS, GATE BURRS AND INTERLEAD FLASH, BUT INCLUDING ANY MISMATCH BETWEEN THE TOP AND BOTTOM OF THE PLASTIC BODY.
4. THESE DIMENSIONS APPLY TO THE FLAT SECTION OF THE LEAD BETWEEN 0.08 mm AND 0.15 mm FROM THE LEAD TIP.

SYMBOLS	DIMENSIONS IN MILLIMETERS		
	MIN	NOM	MAX
A	—	—	1.10
A1	0	—	0.10
A2	0.70	0.90	1.00
b	0.40	—	0.55
b1	0.40	0.45	0.50
b2	0.25	—	0.40
c	0.08	—	0.20
c1	0.08	0.13	0.16
D	—	2.90	—
E	—	2.80	—
E1	—	1.60	—
L	0.30	0.45	0.60
L1	—	0.60	—
L2	—	0.25	—
R	0.10	—	—
R1	0.10	—	0.25
e	—	0.95	—
e1	—	1.90	—
Ø	0"	4"	8"
Ø1	4"	10"	12"

CUSTOMER :		ZYWYN CORPORATION	
APPROVED BY	DATE	TITLE:	
DRAW BY: Sandy Sue	06/22/04	TSOT-26 PACKAGE OUTLINE DRAWING	
CHECK BY: Edward Yang	05/22/04		
APPROVAL:		DWG. NO. PO-TSOT-002	RDV: 1
APPROVAL: Jennie Liu	05/22/04	UNIT: mm	SCALE: 22/1
APPROVAL: Jack Tu	05/22/04		SHEET 1 OF 1