

Part Number	Product Description	Driver Type	Package: Green	MOQ (Tube)	MOQ (T&R)	MSL
LED Advanced Display Drivers, Green Package (Pb-free + RoHS)						
ZD3315LED	High-Voltage Inductorless Regulated 4-Channel LED Driver, 150mA/ch	Direct	2x3 8-DFN	121	3000	L3
ZD3315EVB	Assembled ZD3315LED Evaluation Board for demonstration purpose	Direct	PCB Board	Min 10 pcs per order *	N/A	N/A
ZD1680LEQ	High Efficiency Step-Up Controller IC for LEDs With 6-Channel 50mA Current Sink, Auxiliary Gate Drive and LED Drop-Out Detection Alert	Inductor-Current-Source-Based	5x5 32-VQFN	490 per tray	2500	L3
ZD1680QEVB	Assembled ZD1680LEQ Evaluation Board for demonstration purpose	Inductor-Current-Source-Based	PCB Board	Min 10 pcs per order *	N/A	N/A
ZD1680LEY	High Efficiency Step-Up Controller IC for LEDs With 6-Channel 50mA Current Sink, Auxiliary Gate Drive and LED Drop-Out Detection Alert	Inductor-Current-Source-Based	28 Exposed TSSOP	50	2500	L3
ZD1680YEVB	Assembled ZD1680LEY Evaluation Board for demonstration purpose	Inductor-Current-Source-Based	PCB Board	Min 10 pcs per order *	N/A	N/A
ZD832LEY	TransformerFree LED Driver, 85~240VAC Input, 30mA Constant Output Current, with PWM Dimming Control	Transformerless & Proprietary	20 Exposed TSSOP	76	2500	L3
ZD832EVB	Assembled ZD832LEY Evaluation Board for demonstration purpose	Transformerless & Proprietary	PCB Board	Min 10 pcs per order *	N/A	N/A
ZD850LEY	1.5A High Power LED Driver, 4V~16VAC @350mA, or 5V~27VDC @800mA, or 5V~16VDC on HVCC at 1.5A Constant Current	Proprietary	16 Exposed TSSOP	96	2500	L3
ZD850MR	Assembled ZD850EVB in MR16 base form factor evaluation board PCB	Proprietary	PCB Board	Min 10 pcs per order *	N/A	N/A
ZD850EVB	Assembled ZD850EVB improved version PCB for engineering evaluation purpose **NEW**	Proprietary	PCB Board	Min 10 pcs per order *	N/A	N/A
ZD850KIT	Assembled ZD850EVB in MR16 base form factor evaluation board PCB connected to 3W (1W x3) series LEDs and E-Transformer	Proprietary	Demo Kit	Min 5 kits per order *	N/A	N/A
ZD810LEN	Universal 8V~450VDC HB LED Driver	HV Buck Converter	8-nSOIC	98	5000	L1
ZD810NEVB	Universal 95VAC~275VAC HB LED Driver Module Board	Proprietary	PCB Board	Min 3 pcs per order*	N/A	N/A

* For distributors buy only.

Part Number	Product Description	Driver Type	Package: Green	MOQ (Tube)	MOQ (T&R)	MSL
LED Display Drivers, Green Package (Pb-free + RoHS)						
ZD3200LES6	100mA Low Noise, Regulated Charge-Pump Based DC/DC Converter	Charge-Pump	6 TSOT23	N/A	3000	L3
ZD3210LES6	200mA Low Noise, Regulated Charge-Pump Based DC/DC Converter	Charge-Pump	6 TSOT23	N/A	3000	L3
ZD3202LEU	125mA Low Noise, High Efficiency Charge-Pump for White LEDs	Charge-Pump	10 MSOP	50	3000	L3
ZD3203LEU	300mA Regulated Charge-Pump for White LEDs	Charge-Pump	10 MSOP	50	3000	L3
ZD3205LEU	500mA Regulated Charge-Pump for White LEDs	Charge-Pump	10 MSOP	50	3000	L3
ZD3213LEU	600mA Regulated Charge-Pump for White LEDs	Charge-Pump	10 MSOP	50	3000	L3
ZD3215LED	800mA Regulated Charge-Pump for White LEDs	Charge-Pump	3x3 10-DFN	121	3000	L3

Part Number	Product Description	Package: Green	MOQ (tube)	MOQ (T&R)	MSL
ZSP44xxL, EL Driver Series, Green Package (Pb-free + RoHS)					
ZSP4403LEU	2.2V to 5.0V EL Driver with 220Vpp output	8 MSOP	50	2500	L3
ZSP4412ALCN	2.2V to 3.6V EL Driver with 160Vpp output. Ext Osc.	8 NSOIC	98	2500	L3
ZSP4412ALCU	2.2V to 3.6V EL Driver with 160Vpp output. Ext Osc.	8 MSOP	80	2500	L3
ZSP4412ACX	2.2V to 3.6V EL Driver with 160Vpp output. Ext Osc.	Die in Wafflepack Form	400	N/A	L3
ZSP4422ALCN	2.2V to 5.0V EL Driver with 160Vpp output. Int Osc.	8 NSOIC	98	2500	L3
ZSP4422ALCU	2.2V to 5.0V EL Driver with 160Vpp output. Int Osc.	8 MSOP	50	2500	L3
ZSP4422ACX	2.2V to 5.0V EL Driver with 160Vpp output. Int Osc.	Die in Wafflepack Form	400	N/A	L3
ZSP4423LCN	2.2V to 6.0V EL Driver with 160Vpp output. Int Osc.	8 NSOIC	98	2500	L3
ZSP4423LCU	2.2V to 6.0V EL Driver with 160Vpp output. Int Osc.	8 MSOP	50	2500	L3
ZSP4425LCN	1.1V to 1.7V EL Driver with 90Vpp output. Ext Osc. 2.2V to 3.3V EL Driver with 120Vpp output. Ext Osc.	8 NSOIC	98	2500	L3
ZSP4425LCU	1.1V to 1.7V EL Driver with 90Vpp output. Ext Osc. 2.2V to 3.3V EL Driver with 120Vpp output. Ext Osc.	8 MSOP	50	2500	L3
ZSP4491LEU	2.2V to 6.0V EL Driver with 220Vpp output. Ext R Osc.	10 MSOP	50	2500	L3

Part Number	Product Description	Package: Green	MOQ (tube)	MOQ (T&R)	MSL
ZT32xxLE Series, 3V RS232 Standard Data Rate 250kbps, 15kV ESD, Green Package (Pb-free + RoHS)					
ZT3220LEEA	3V RS232 Transceiver 1D/1R, S/D, Ind Temp	16 SSOP	78	2000	L3
ZT3220LEET	3V RS232 Transceiver 1D/1R, S/D, Ind Temp	16 WSOIC	46	1000	L3
ZT3220LEEY	3V RS232 Transceiver 1D/1R, S/D, Ind Temp	16 TSSOP	96	2500	L3
ZT3221LEEA	3V RS232 Transceiver 1D/1R,S/D, AUTOGREEN, Ind Temp	16 SSOP	78	2000	L3
ZT3221LEEY	3V RS232 Transceiver 1D/1R,S/D, AUTOGREEN, Ind Temp	16 TSSOP	96	2500	L3
ZT3222LEEA	3V RS232 Transceiver 2D/2R, S/D, Ind Temp	20 SSOP	66	2000	L3
ZT3222LEEP	3V RS232 Transceiver 2D/2R, S/D, Ind Temp	18 PDIP	25	N/A	L3
ZT3222LEET	3V RS232 Transceiver 2D/2R, S/D, Ind Temp	18 WSOIC	42	1000	L3
ZT3222LEEY	3V RS232 Transceiver 2D/2R, S/D, Ind Temp	20 TSSOP	76	2500	L3
ZT3223LEEA	3V RS232 Transceiver 2D/2R, S/D, AUTOGREEN, Ind Temp	20 SSOP	66	2000	L3
ZT3223LEEY	3V RS232 Transceiver 2D/2R, S/D, AUTOGREEN, Ind Temp	20 TSSOP	76	2500	L3
ZT3232LEEA	3V RS232 Transceiver 2D/2R, Ind Temp	16 SSOP	78	2000	L3
ZT3232LEEN	3V RS232 Transceiver 2D/2R, Ind Temp	16 NSOIC	50	2500	L3
ZT3232LEEQ	3V RS232 Transceiver 2D/2R, Ind Temp	5x5 16-QFN	N/A	4000	L3
ZT3232LEET	3V RS232 Transceiver 2D/2R, Ind Temp	16 WSOIC	46	1000	L3
ZT3232LEEY	3V RS232 Transceiver 2D/2R, Ind Temp	16 TSSOP	96	2500	L3
ZT1385LEEA	3V RS232 Transceiver 2D/2R, S/D, Ind Temp	20 SSOP	66	2000	L3
ZT1385LEET	3V RS232 Transceiver 2D/2R, S/D, Ind Temp	18 WSOIC	42	1000	L3
ZT3241LEEA	3V RS232 Transceiver 3D/5R, S/D, Receiver Enable, Ind Temp	28 SSOP	48	2000	L3
ZT3241LEET	3V RS232 Transceiver 3D/5R, S/D, Receiver Enable, Ind Temp	28 WSOIC	27	1000	L3
ZT3241LEEY	3V RS232 Transceiver 3D/5R, S/D, Receiver Enable, Ind Temp	28 TSSOP	50	2500	L3
ZT3243LEEA	3V RS232 Transceiver 3D/5R, S/D, AutoGreen, Ind Temp	28 SSOP	48	2000	L3
ZT3243LEET	3V RS232 Transceiver 3D/5R, S/D, AutoGreen, Ind Temp	28 WSOIC	27	1000	L3
ZT3243LEEY	3V RS232 Transceiver 3D/5R, S/D, AutoGreen, Ind Temp	28 TSSOP	50	2500	L3
ZT3243LEEQ	3V RS232 Transceiver 3D/5R, S/D, AutoGreen, Ind Temp	32 VQFN	490 per tray	N/A	L3

Part Number	Product Description	Package: Green	MOQ (tube)	MOQ (T&R)	MSL
ZT32xxLF Series, 3V RS232 High Data Rate 1,000kbps, 15kV ESD, Green Package (Pb-free + RoHS)					
ZT3220LFEA	3V RS232 Transceiver 1D/1R, S/D, Ind Temp	16 SSOP	78	2000	L3
ZT3220LFET	3V RS232 Transceiver 1D/1R, S/D, Ind Temp	16 WSOIC	46	1000	L3
ZT3220LFEY	3V RS232 Transceiver 1D/1R, S/D, Ind Temp	16 TSSOP	96	2500	L3
ZT3221LFEA	3V RS232 Transceiver 1D/1R,S/D, AUTOGREEN, Ind Temp	16 SSOP	78	2000	L3
ZT3221LFEY	3V RS232 Transceiver 1D/1R,S/D, AUTOGREEN, Ind Temp	16 TSSOP	96	2500	L3
ZT3222LFEA	3V RS232 Transceiver 2D/2R, S/D, Ind Temp	20 SSOP	66	2000	L3
ZT3222LFEP	3V RS232 Transceiver 2D/2R, S/D, Ind Temp	18 PDIP	25	N/A	L3
ZT3222LFET	3V RS232 Transceiver 2D/2R, S/D, Ind Temp	18 WSOIC	42	1000	L3
ZT3222LFEY	3V RS232 Transceiver 2D/2R, S/D, Ind Temp	20 TSSOP	76	2500	L3
ZT3223LFEA	3V RS232 Transceiver 2D/2R, S/D, AUTOGREEN, Ind Temp	20 SSOP	66	2000	L3
ZT3223LFEY	3V RS232 Transceiver 2D/2R, S/D, AUTOGREEN, Ind Temp	20 TSSOP	76	2500	L3
ZT3232LFEA	3V RS232 Transceiver 2D/2R, Ind Temp	16 SSOP	78	2000	L3
ZT3232LFEN	3V RS232 Transceiver 2D/2R, Ind Temp	16 NSOIC	50	2500	L3
ZT3232LFET	3V RS232 Transceiver 2D/2R, Ind Temp	16 WSOIC	46	1000	L3
ZT3232LFEY	3V RS232 Transceiver 2D/2R, Ind Temp	16 TSSOP	96	2500	L3
ZT1385LFEA	3V RS232 Transceiver 2D/2R, S/D, Ind Temp	20 SSOP	66	2000	L3
ZT1385LFET	3V RS232 Transceiver 2D/2R, S/D, Ind Temp	18 WSOIC	42	1000	L3
ZT3241LFEA	3V RS232 Transceiver 3D/5R, S/D, Receiver Enable, Ind Temp	28 SSOP	48	2000	L3
ZT3241LFET	3V RS232 Transceiver 3D/5R, S/D, Receiver Enable, Ind Temp	28 WSOIC	27	1000	L3
ZT3241LFEY	3V RS232 Transceiver 3D/5R, S/D, Receiver Enable, Ind Temp	28 TSSOP	50	2500	L3
ZT3243LFEA	3V RS232 Transceiver 3D/5R, S/D, AutoGreen, Ind Temp	28 SSOP	48	2000	L3
ZT3243LFET	3V RS232 Transceiver 3D/5R, S/D, AutoGreen, Ind Temp	28 WSOIC	27	1000	L3
ZT3243LFEY	3V RS232 Transceiver 3D/5R, S/D, AutoGreen, Ind Temp	28 TSSOP	50	2500	L3
ZT3243LFEQ	3V RS232 Transceiver 3D/5R, S/D, AutoGreen, Ind Temp	32 VQFN	490 per tray	N/A	L3

Part Number	Product Description	Package: Green	MOQ (Tube)	MOQ (T&R)	MSL
ZT230LE Series , 5V RS232 Standard Data Rate 250kbps, 15kV ESD, Green Package (Pb-free + RoHS)					
ZT207LEEA	5V RS232 Transceiver 5D/3R, Ind Temp	24 SSOP	60	2000	L3
ZT207LEET	5V RS232 Transceiver 5D/3R, Ind Temp	24 WSOIC	31	1000	L3
ZT208LEEA	5V RS232 Transceiver 4D/4R, Ind Temp	24 SSOP	60	2000	L3
ZT208LEEP	5V RS232 Transceiver 4D/4R, Ind Temp	24 PDIP	18	N/A	L3
ZT208LEET	5V RS232 Transceiver 4D/4R, Ind Temp	24 WSOIC	31	1000	L3
ZT211LEEA	5V RS232 Transceiver 4D/5R, Ind Temp	28 SSOP	48	2000	L3
ZT211LEET	5V RS232 Transceiver 4D/5R, Ind Temp	28 WSOIC	27	1000	L3
ZT213LEEA	5V RS232 Transceiver 4D/5R, S/D, Ind Temp	28 SSOP	48	2000	L3
ZT213ALEEA	5V RS232 Transceiver 4D/5R, S/D, Ind Temp, 9V Output Version	28 SSOP	48	2000	L3
ZT213LEET	5V RS232 Transceiver 4D/5R, S/D, Ind Temp	28 WSOIC	27	1000	L3
ZT230LF Series , 5V RS232 High Data Rate 1,000kbps, 15kV ESD, Green Package (Pb-free + RoHS)					
ZT207LFEA	5V RS232 Transceiver 5D/3R, Ind Temp	24 SSOP	60	2000	L3
ZT207LFET	5V RS232 Transceiver 5D/3R, Ind Temp	24 WSOIC	31	1000	L3
ZT208LFEA	5V RS232 Transceiver 4D/4R, Ind Temp	24 SSOP	60	2000	L3
ZT208LFEP	5V RS232 Transceiver 4D/4R, Ind Temp	24 PDIP	18	N/A	L3
ZT208LFET	5V RS232 Transceiver 4D/4R, Ind Temp	24 WSOIC	31	1000	L3
ZT211LFEA	5V RS232 Transceiver 4D/5R, Ind Temp	28 SSOP	48	2000	L3
ZT211LFET	5V RS232 Transceiver 4D/5R, Ind Temp	28 WSOIC	27	1000	L3
ZT213LFEA	5V RS232 Transceiver 4D/5R, S/D, Ind Temp	28 SSOP	48	2000	L3
ZT213ALFEA	5V RS232 Transceiver 4D/5R, S/D, Ind Temp, 9V Output Version	28 SSOP	48	2000	L3
ZT213LFET	5V RS232 Transceiver 4D/5R, S/D, Ind Temp	28 WSOIC	27	1000	L3

Part #	Product Description	Package: Green	MOQ (Tube)	MOQ (T&R)	MSL
ZT232LE Series , 5V RS232 2D/2R Standard Data Rate 250kbps, 15kV ESD, Green Package (Pb-free + RoHS)					
ZT202LEEN	5V RS232 Transceiver 2D/2R, Ind Temp, 9V Output Version	16 NSOIC	50	2500	L3
ZT202LEEP	5V RS232 Transceiver 2D/2R, Ind Temp, 9V Output Version	16 PDIP	30	N/A	L3
ZT202LEET	5V RS232 Transceiver 2D/2R, Ind Temp, 9V Output Version	16 WSOIC	46	1000	L3
ZT202LEEY	5V RS232 Transceiver 2D/2R, Ind Temp, 9V Output Version	16 TSSOP	96	2500	L3
ZT232LEEN	5V RS232 Transceiver 2D/2R, Ind Temp	16 NSOIC	50	2500	L3
ZT232LEEP	5V RS232 Transceiver 2D/2R, Ind Temp	16 PDIP	30	N/A	L3
ZT232LEET	5V RS232 Transceiver 2D/2R, Ind Temp	16 WSOIC	46	1000	L3
ZT232LEEY	5V RS232 Transceiver 2D/2R, Ind Temp	16 TSSOP	96	2500	L3
ZT310LEEP	5V RS232 Transceiver 2D/2R, Ind Temp	18 PDIP	25	N/A	L3
ZT310LEET	5V RS232 Transceiver 2D/2R, Ind Temp	18 WSOIC	42	1000	L3
ZT310LEEA	5V RS232 Transceiver 2D/2R, Ind Temp	20 SSOP	66	2000	L3
ZT312LEEP	5V RS232 Transceiver 2D/2R, S/D, EN, Ind Temp	18 PDIP	25	N/A	L3
ZT312LEET	5V RS232 Transceiver 2D/2R, S/D, EN, Ind Temp	18 WSOIC	42	1000	L3
ZT312LEEA	5V RS232 Transceiver 2D/2R, S/D, EN, Ind Temp	20 SSOP	66	2000	L3

Part #	Product Description	Package: Green	MOQ (Tube)	MOQ (T&R)	MSL
ZT232LF Series , 5V RS232 2D/2R High Data Rate 1,000kbps, 15kV ESD, Green Package (Pb-free + RoHS)					
ZT202LFEN	5V RS232 Transceiver 2D/2R, Ind Temp, 9V Output Version	16 NSOIC	50	2500	L3
ZT202LFEP	5V RS232 Transceiver 2D/2R, Ind Temp, 9V Output Version	16 PDIP	30	N/A	L3
ZT202LFET	5V RS232 Transceiver 2D/2R, Ind Temp, 9V Output Version	16 WSOIC	46	1000	L3
ZT202LFEY	5V RS232 Transceiver 2D/2R, Ind Temp, 9V Output Version	16 TSSOP	96	2500	L3
ZT232LFEN	5V RS232 Transceiver 2D/2R, Ind Temp	16 NSOIC	50	2500	L3
ZT232LFEP	5V RS232 Transceiver 2D/2R, Ind Temp	16 PDIP	30	N/A	L3
ZT232LFET	5V RS232 Transceiver 2D/2R, Ind Temp	16 WSOIC	46	1000	L3
ZT232LFEY	5V RS232 Transceiver 2D/2R, Ind Temp	16 TSSOP	96	2500	L3
ZT310LFEP	5V RS232 Transceiver 2D/2R, Ind Temp	18 PDIP	25	N/A	L3
ZT310LFET	5V RS232 Transceiver 2D/2R, Ind Temp	18 WSOIC	42	1000	L3
ZT310LFEA	5V RS232 Transceiver 2D/2R, Ind Temp	20 SSOP	66	2000	L3
ZT312LFEP	5V RS232 Transceiver 2D/2R, S/D, EN, Ind Temp	18 PDIP	25	N/A	L3
ZT312LFET	5V RS232 Transceiver 2D/2R, S/D, EN, Ind Temp	18 WSOIC	42	1000	L3
ZT312LFEA	5V RS232 Transceiver 2D/2R, S/D, EN, Ind Temp	20 SSOP	66	2000	L3

Part Number	Product Description	Fanout # of Tx/Rx on Bus	Package: Green	MOQ (Tube)	MOQ (T&R)	MSL
ZT485LE Low Power, High ESD (15kV), 5V Standard Fanout (32 devices per bus) RS485E Transceivers Series, Green Package (Pb-free + RoHS)						
ZT483LEEN	Half Duplex 1D/1R 250kbps	32	8 nSOIC	100	2500	L3
ZT483LEEP	Half Duplex 1D/1R 250kbps	32	8 PDIP	60	N/A	L3
ZT485LEEN	Half Duplex 1D/1R 10Mbps	32	8 nSOIC	100	2500	L3
ZT485LEEP	Half Duplex 1D/1R 10Mbps	32	8 PDIP	60	N/A	L3
ZT487LEEN	Half Duplex 1D/1R 250kbps	128	8 nSOIC	100	2500	L3
ZT487LEEP	Half Duplex 1D/1R 250kbps	128	8 PDIP	60	N/A	L3
ZT488LEEN	Full Duplex 1D/1R 250kbps	32	8 nSOIC	100	2500	L3
ZT488LEEP	Full Duplex 1D/1R 250kbps	32	8 PDIP	60	N/A	L3
ZT489LEEN	Full Duplex 1D/1R 250kbps	32	14 nSOIC	58	2500	L3
ZT489LEEP	Full Duplex 1D/1R 250kbps	32	14 PDIP	30	N/A	L3
ZT490LEEN	Full Duplex 1D/1R 10Mbps	32	8 nSOIC	100	2500	L3
ZT490LEEP	Full Duplex 1D/1R 10Mbps	32	8 PDIP	60	N/A	L3
ZT491LEEN	Full Duplex 1D/1R 10Mbps	32	14 nSOIC	58	2500	L3
ZT491LEEP	Full Duplex 1D/1R 10Mbps	32	14 PDIP	30	N/A	L3

Part Number	Product Description	Fanout # of Tx/Rx on Bus	Package: Green	MOQ (Tube)	MOQ (T&R)	MSL
ZT485HL Low Power, High ESD (15kV), 5V High Fanout (256 devices per bus) RS485E Transceivers Series, Green Package (Pb-free + RoHS)						
ZT483HLEEN	Half Duplex 1D/1R 250kbps	256	8 nSOIC	100	2500	L3
ZT483HLEEP	Half Duplex 1D/1R 250kbps	256	8 PDIP	60	N/A	L3
ZT485HLEEN	Half Duplex 1D/1R 10Mbps	256	8 nSOIC	100	2500	L3
ZT485HLEEP	Half Duplex 1D/1R 10Mbps	256	8 PDIP	60	N/A	L3
ZT13085LEEN	Half Duplex 1D/1R 2.5Mbps, For Power Meter Applications	256	8 nSOIC	100	2500	L3

Part Number	Product Description	Fanout # of Tx/Rx on Bus	Package: Green	MOQ (Tube)	MOQ (T&R)	MSL
ZT3485LE Low Power, High ESD (15kV), 3V Standard Fanout (32 devices per bus) RS485E Transceivers Series, Green Package (Pb-free + RoHS)						
ZT3483LEEN	Half Duplex 1D/1R 250kbps	32	8 nSOIC	100	2500	L3
ZT3483LEEP	Half Duplex 1D/1R 250kbps	32	8 PDIP	60	N/A	L3
ZT3485LEEN	Half Duplex 1D/1R 10Mbps	32	8 nSOIC	100	2500	L3
ZT3485LEEP	Half Duplex 1D/1R 10Mbps	32	8 PDIP	60	N/A	L3
ZT3488LEEN	Full Duplex 1D/1R 250kbps	32	8 nSOIC	100	2500	L3
ZT3488LEEP	Full Duplex 1D/1R 250kbps	32	8 PDIP	60	N/A	L3
ZT3490LEEN	Full Duplex 1D/1R 10Mbps	32	8 nSOIC	100	2500	L3
ZT3490LEEP	Full Duplex 1D/1R 10Mbps	32	8 PDIP	60	N/A	L3
ZT3491LEEN	Full Duplex 1D/1R 10Mbps	32	14 nSOIC	58	2500	L3
ZT3491LEEP	Full Duplex 1D/1R 10Mbps	32	14 PDIP	30	N/A	L3

Part Number	Product Description	Fanout # of Tx/Rx on Bus	Package: Green	MOQ (Tube)	MOQ (T&R)	MSL
ZT307xLE Low Power, High ESD (15kV), 3V High Fanout (256 devices per bus) RS485E Transceivers Series, Green Package (Pb-free + RoHS)						
ZT3070LEEN	Full Duplex 1D/1R 250kbps	256	14 nSOIC	58	2500	L3
ZT3070LEEP	Full Duplex 1D/1R 250kbps	256	14 PDIP	30	N/A	L3
ZT3071LEEN	Full Duplex 1D/1R 250kbps	256	8 nSOIC	100	2500	L3
ZT3071LEEP	Full Duplex 1D/1R 250kbps	256	8 PDIP	60	N/A	L3
ZT3072LEEN	Half Duplex 1D/1R 250kbps	256	8 nSOIC	100	2500	L3
ZT3072LEEP	Half Duplex 1D/1R 250kbps	256	8 PDIP	60	N/A	L3
ZT3073LEEN	FullDuplex 1D/1R 500kbps	256	14 nSOIC	58	2500	L3
ZT3073LEEP	FullDuplex 1D/1R 500kbps	256	14 PDIP	30	N/A	L3
ZT3074LEEN	Full Duplex 1D/1R 500kbps	256	8 nSOIC	100	2500	L3
ZT3074LEEP	Full Duplex 1D/1R 500kbps	256	8 PDIP	60	N/A	L3
ZT3075LEEN	Half Duplex 1D/1R 500kbps	256	8 nSOIC	100	2500	L3
ZT3075LEEP	Half Duplex 1D/1R 500kbps	256	8 PDIP	60	N/A	L3
ZT3076LEEN	Full Duplex 1D/1R 16Mbps	256	14 nSOIC	58	2500	L3
ZT3076LEEP	Full Duplex 1D/1R 16Mbps	256	14 PDIP	30	N/A	L3
ZT3077LEEN	Full Duplex 1D/1R 16Mbps	256	8 nSOIC	100	2500	L3
ZT3077LEEP	Full Duplex 1D/1R 16Mbps	256	8 PDIP	60	N/A	L3
ZT3078LEEN	Half Duplex 1D/1R 16Mbps	256	8 nSOIC	100	2500	L3
ZT3078LEEP	Half Duplex 1D/1R 16Mbps	256	8 PDIP	60	N/A	L3